## 10

5

## 

## Claims

## We claim:

W C Clai

- 1. A system for extracting advertising or other promotional segments from a video signal comprising:
  - a. means to convert, if necessary, the video signal to a digital format,
  - b. means for storing said video signal in a database,
  - c. means for scanning said video signal for the presence of predetermined characteristics,
  - d. means to associate said characteristics with the start and the end of each such segments.
- 2. A system as described in claim 1, further comprising means for storing said video signal after said segments have been removed therefrom.
- 3. A system as described in claim 1 further comprising means for storing said segments without the rest of said video signal.
- 4. A system as described in claim1 further comprising means for separately storing said segments and the rest of said video signal.
  - 5. A system as described in claim 1 wherein said predetermined characteristics include the presence of a black frame before and after said segment.

25

25

10

5

- 6. A system as described in claim 1 wherein said predetermined characteristics include the presence of a predetermined video internal time code cue.
- 7. A system as described in claim 1 wherein said predetermined characteristics include the presence of a higher average audio level.
- 8. A system as described in claim 7 wherein said audio level is at least 3% higher than that of the immediately preceding portion of the video signal.
- 9. A system as described in claim 8, wherein the increase in the audio level is between 3% and 6% of that of the immediately preceding portion of the video signal.
- 10. A system as described in claim 1, wherein said predetermined characteristics include a predetermined duration for such segments.
- 11. A system as described in claim 10, wherein said duration is 15 seconds or a multiple thereof.
- 12. A system as described in claim 1 further comprising means to store said segments in a database.
- 13. A system as described in claim 12 further comprising means to store predetermined information relating to said segments in a database.
- 14. A system as described in claim 13 wherein said information includes the source, the start time and date, the end time and date, a summary of the content of the segment.

10

25

- 15. A system as described in claim 12 further comprising means to store frames extracted from each said segment at predetermined time intervals.
- 16. A system as described in claim 15 further comprising means to store predetermined information relating to said segments in a database.
- 17. A system as described in claim 16 wherein said information includes the source, the start time and date, the end time and date, a summary of the content of the segment.
- 18. A method for tracking and retrieving adverting segments from a television signal comprising the steps of:
  - a. converting, if necessary, the television signal to a digital format,
  - b. storing said digital television signal in a database,
  - c. scanning the television signal for the presence of predetermined characteristics,
  - d. identifying the start and end of such advertising segments with the use of such characteristics.
- 19. A method as described in claim 18 further comprising the following steps:
  - a. storing said segments in a database,
  - b. storing said characteristics in a database,

- 20. A method as described in claim 18 wherein a signature is created for each segment with the use of frames taken at predetermined internals between the start and the end of each segment.
- 5 21. A method as described in claim 20 wherein each signature is stored in a database.
  - 22. A method as described in claim 21 wherein said segments are selectively from said database.